# CUMULATIVE AUTHOR INDEX
## *Annals of the Entomological Society of America*
## Volume 87, 1994


**A**

Abernathy, R. L., 350
Allen, R. T., 270
Andow, D. A., 342
Askevold, I. S., 1
Asquith, A., 207

**B**

Bagine, R.K.N., 498
Bai, B. B., 546
Balciunas, J. K., 867
Baur, M. E., 954
Beckenbach, A., 651
Bellows, Jr., T. S., 195
Benjamin, S. N., 331
Benton, C. M., 879
Bentz, J.-A., 609
Berlocher, S. H., 723
Blocker, H. D., 771
Boinel, H., 250
Bourgoin, T., 516
Boyd, C., 936
Bradley-Dunlop, D., 85
Bradshaw, W. E., 331
Brailovsky, H., 745
Brandl, R., 498
Bright, D. E., 170, 277
Brower, A.V.Z., 702
Brown, J. K., 609
Brown, J. M., 795
Burd, J. D., 908

**C**

Callahan, P. S., 491
Campan, R., 133
Campbell, R. K., 908
Carey, J. R., 538
Carroll, S. P., 936
Cashatt, E. D., 599
Center, B. J., 641
Chapco, W., 751
Charlet, L. D., 831
Cheshire, D., 562
Cheung, W.W.-K., 901
Cole, B. J., 562
Collins, M. S., 762
Condon, M. A., 448
Crespi, B., 651
Cutler, B., 918

**D**

Daumal, J., 250
Decu, V., 755
Dekker, L. A., 71
Devilbiss, E. D., 609
DeSalle, R., 702
Dewire, A.-L. M., 375
Dietrich, C. H., 412
Dingle, H., 936
Dowell, R. V., 538
Driscoll, C. A., 448
Dua, V. K., 116

**E**

Eaton, J. L., 823
Edmunds, Jr., G. F., 263
Eikenbary, R. D., 908
Enriquez, F. J., 85

**F**

Fell, R. D., 554
Ferguson, H. J., 823
Fisher, J. R., 604
Flook, P., 651
Fondrk, M. K., 507
Fox, C. W., 395
Frati, F., 651

**G**

Gafny, R., 165
Gagné, R. J., 523
Giblin-Davis, R. M., 641
Gill, R. J., 195
Gillespie, R. G., 815
Gordon, J. M., 436
Grace, C., 231
Gray, D. J., 879
Greenstone, M. H., 214
Grimes, L. W., 436
Gruia, M., 755
Gupta, A. P., 147
Guzmán-Novoa, E., 507

**H**

Hagler, J. R., 85
Hailemichael, Y., 874
Harris, E. J., 71
Harrison, R. G., 795
Haverty, M. I., 762
Haymer, D. S., 717
Headrick, D. H., 195
Heed, W. B., 307
Hendricks, D. E., 856
Henneberry, T. J., 85
Hickman, D. L., 395
Higashi, S., 337
Higbee, B. S., 241
Hiyakawa, T., 641
Hook, A. W., 972
Horton, D. R., 241, 583
Husband, R. W., 424

**I**

Ishihara, M., 532
Ito, F., 337

**J**

Jameson, M. L., 43
Jones, S. R., 104

**K**

Kaib, M., 498
Kaneshiro, K. Y., 470
Keffer, S. L., 17, 755
Kilambi, R. V., 321
Kim, K. C., 104
Kinzelbach, R., 59
Koemel, W. C., 491
Kok-Yokomi, M. L., 879
Kozol, A. J., 928
Krysan, J. L., 241
Kuki, K., 962
Kuperus, W. R., 751
Kurosa, K., 424

**L**

Lake, F. K., 936
Lambdin, P. L., 225
Lambin, M., 133
Langdon, K., 225
Larsen, K. J., 355
Leahy, T. C., 342
Leonard, J. G., 566
Leonhardt, B. A., 609
Leschen, R.A.B., 918
Lewis, L. C., 440

Lewis, S. M., 572
Liquido, N. J., 71
Liu, H., 651
Loera, J., 856
Logan, P., 454, 460, 634
Loper, G. M., 842
Lopez, J. D., 856
Lu, W., 454, 460, 634

M

Malhotra, M. S., 116
Manjunatha, H. B., 891
Marti, Jr., O. G., 327
McCombs, S. D., 122
McCorquodale, D. B., 922
McDowell, J., 562
McInnis, D. O., 231
McLennan, L. A., 936
McPherson, J. E., 17
Meille, O., 133
Mendel, Z., 165
Merritt, D. J., 97
Miyashita, D., 231
Monchamp, J. D., 572
Morgham, A. T., 908
Morón, M. A., 43
Morrone, J. J., 403
Munstermann, L. E., 157

N

Nanda, N., 116
Naranjo, S. E., 85, 383
Nault, L. R., 257, 355
Neal, Jr., J. W., 609
Nestel, D., 165

O

O'Brien, C. W., 1
O'Brien, L., 516
Obrycki, J. J., 440
Orr, D. B., 440
Orth, R., 941
Owen, R. E., 922

P

Page, Jr., R. E., 507
Parker, B. L., 566
Peck, S. B., 218, 576
Peckham, D. J., 972
Pellmyr, O., 795
Peña-Martinez, R., 108
Perring, T. M., 195, 363
Pescador, M. L., 263
Peterson II, R .D., 626
Phillips, E. C., 321
Pitnick, S., 307
Pohl, H., 59
Poinar, Jr., G. O., 170
Polhemus, J. T., 27
Pooley, C. D., 412
Purcell, M. F., 867
Puttaraju, H. P., 891

R

Ratcliffe, B. C., 43
Richardson, P. E., 908
Robertson, H. M., 723
Roehrdanz, R. L., 856
Rogers, C. E., 327, 823
Ross, M. H., 619
Ruiz-Montoya, L., 108

S

Sarbu, S. M., 755
Saul, S. H., 122
Schiff, N. M., 842
Seiler, G. J., 831
Sharma, V. P., 116
Shelly, T. E., 375, 470
Sheppard, W. S., 842
Shibata, E., 836
Shimada, M., 532
Shimanuki, H., 842
Simmons, A. M., 823
Simon, C., 651
Sinada, N. A., 771
Sites, R. W., 27, 803
Smith, Jr., J. W., 874
Smith, L., 849
Smith, S. M., 546
Soto-Adames, F. N., 723
Stein, K. J., 554
Stoffolano, Jr., J. G., 97
Styer, W. E., 257
Subbarao, S. K., 116
Sugiura, N., 337
Sumner, L. C., 908

T

Tabashnik, B. E., 815
Taber, S. W., 311
Tam, S., 231
Tanaka, A., 619
Tanaka, T., 592
Tang, Y. Q., 523
Taylor, D. B., 626
Taylor, S. J., 17
Teal, P.E.A., 350
Teo, L. H., 886
Tepedino, V. J., 946
Thompson, J. N., 795
Thorne, B. L., 762
Tojo, S., 962
Torchio, P. F., 946
Traniello, J.F.A., 928
Trowell, S. C., 214
Tsukamoto, L., 962
Tumlinson, J. H., 350

U

Ueno, T., 592

V

Vasantha, K., 116
Vetter, R. S., 941
Visscher, P. K., 941
Vogt, T. E., 599

W

Walker, G. P., 363
Wang, J.-B., 901
Watson, J. K., 225
Webb, S. E., 879
Weissling, T. J., 641
Wells, M. M., 737
Whittier, T. S., 470
Widahl, L.-E., 482
Williams, S. M., 928
Willig, M. R., 803
Woodring, J. P., 886

Y

Yadav, R. S., 116
Yang, P., 538
Yeargan, K. V., 954
Yin, C.-M., 97
Yokomi, R. K., 523

Z

Zheng, L.-Y., 91
Zungoli, P. A., 436
Zuñiga-Bermudez, G., 108

# CUMULATIVE SUBJECT INDEX
## *Annals of the Entomological Society of America*
## Volume 87, 1994


*A. fluviatilis*, cytotaxonomy, 116
  sibling species, 116
Acari, ectoparasites, 424
  Podapolipidae, 424
accessory glands, *Phormia regina*, 97
  sperm, 97
actograph, migratory behavior, 823
  *Spodoptera frugiperda*, 823
aculeus, oviposition, 104
  Tephritidae, 104
adult nutrition, age-specific fecundity, 342
  European corn borer, 342
Africanized bees, colony defense, 507
  identification, 507
age-specific fecundity, adult nutrition, 342
  European corn borer, 342
aging, oviposition, 350
  pheromone suppression, 350
allometric growth, formicidae, 337
  *Myrmecia froggatti*, 337
alternate year, *Korscheltellus*, 566
  periodical insect, 566
alternative reproductive tactics, nest usurpation, 946
  *Osmia*, 946
amber, phylogeny, 59
  Strepsiptera, 59
*Anagasta Kuehniella*, mass rearing, 250
  weight-fecundity relationship, 250
aphid damage, biotype, 908
  stylet penetration, 908
*Aphis illinoisensis*, tissue culture, 879
  virus transmission, 879
*Apis mellifera*, mitochondrial DNA, 842
  population genetics, 842
*Bactrocera cucurbitae*, *Bactrocera tau*, 538
  demography, 538
*Bactrocera dorsalis*, linkage, 122
  mutants, 122
*Bactrocera latifrons*, population dynamics, 71
  population ecology, 71
*Bactrocera tau*, *Bactrocera cucurbitae*, 538
  demography, 538
*Bagous*, DELTA, 1
  expert systems, 1
baldfaced hornet, *Dolichovespula maculata*, 554
  Vespidae, 554
bamboo, China, 91
  Heteroptera, 91
behavior, *Gryllus bimaculatus*, 133
  vision, 133
behavioral evolution, plant lice, 311
  *Rhopalosiphum*, 311
*Bemisia argentifolii*, *Bemisia tabaci*, 195
  insect–plant interactions, 363, 795
  mitochondrial DNA phylogeny, 795
  *Parabemisia myricae*, 363
  whitefly, 195
  yucca moths, 795
*Bemisia tabaci*, *Bemisia argentifolii*, 195
  whitefly, 195
biogeography, cladistics, 207
  Hawaii, 207
biological control, citrus aphid, 523
  gall midge, 523
  *Ostrinia nubilalis*, 440
  pathogen–parasitoid interactions, 440
  *Smicronyx* spp., 831
  sunflowers, 831
biotype, aphid damage, 908
  stylet penetration, 908
body size, *Megachile*, 922
  quantitative genetics, 922
bruchid, diapause, 532
  reproduction, 532
*C. macellaria*, *Cochliomyia hominivorax*, 626
  population genetics, 626
*Cacopsylla pyricola*, dispersal, 241
  oogenesis, 241
  ovarian development, 583
  sampling, 583
cactus-breeding species, *Drosophila wassermani*, 307
  nannoptera species group, 307
calcium, cuticle, 918
  Tenebrionidae, 918
*Callidiellum rufipenne*, *Cryptomeria japonica*, 836
  population analysis, 836
*Calomacraspis*, systematics, 43
  taxonomy, 43
Campodeidae, Diplura, 270
  taxonomy, 270
carbohydrase, digestive enzyme, 886
  house cricket, 886
*Ceratitis capitata*, genetic sexing, 231
  males-only sterile releases, 231
  mating, 470
  sterile insect release, 470
China, bamboo, 91
  Heteroptera, 91
*Choristoneura fumiferana*, host exploitation, 546
  *Trichogramma minutum*, 546
*Chrysoperla*, genetic distance, 737
  Lacewings, 737
citrus aphid, biological control, 523
  gall midge, 523
cladistics, biogeography, 207
  Hawaii, 207
  Patagonia, 403
  Rhytirrhinini, 403
classical biological control, *Melaleuca*

*quinquenervia*, 867
*Oxyops vitiosa*, 867
Coccoidea, mealybugs, 225
scale insects, 225
*Cochliomyia hominivorax*, *C. macellaria*, 626
population genetics, 626
cockroach, oviposition, 436
population density, 436
colony defense, Africanized bees, 507
identification, 507
color polymorphism, *Jadera haematoloma*, 936
overwintering, 355
seasonal development, 355
soapberry bug, 936
Colpurini, Coreidae, 745
Philippine Republic, 745
Coreidae, Colpurini, 745
Philippine Republic, 745
corn rootworm, nonrandom movement, 383
short-range flight orientation, 383
*Cryptomeria japonica*, *Callidiellum rufipenne*, 836
population analysis, 836
*Curicta scorpio*, laboratory rearing, 17
nymphal descriptions, 17
cuticle, calcium, 918
Tenebrionidae, 918
cuticular hydrocarbons, *Nasutitermes*, 762
nest architecture, 762
cuticular lipids, host plants, 609
whiteflies, 609
cytotaxonomy, *A. fluviatilis*, 116
sibling species, 116
*Dalbulus cimmyti*, *Dalbulus ebberti*, 257
Mexico, 257
*Dalbulus ebberti*, *Dalbulus cimmyti*, 257
Mexico, 257
DELTA, *Bagous*, 1
expert systems, 1
demography, *Bactrocera cucurbitae*, 538
*Bactrocera tau*, 538
*Leptothorax*, 562
survival, 562
development, grasshoppers, 604
hatch, 604
developmental rates, *Diatraea saccharalis*, 874
*Xanthopimpla stemmator*, 874
developmental trajectories, morphometrics, 803
Naucoridae, 803
diapause, bruchid, 532
reproduction, 532
*Diatraea saccharalis*, developmental rates, 874
*Xanthopimpla stemmator*, 874
digestive enzyme, carbohydrase, 886
house cricket, 886
Diplura, Campodeidae, 270
taxonomy, 270
discriminant analysis, image analysis, 412
interactive key, 412
dispersal, *Cacopsylla pyricola*, 241
Galápagos, 218, 576
islands, 218, 576
oogenesis, 241
distribution, natural history, 599
*Somatochlora hineana*, 599
DNA sequence, molecular systematics, 702
sieving, 702
*Dolichovespula maculata*, baldfaced hornet, 554
Vespidae, 554
*Drosophila wassermani*, cactus-breeding species, 307
nannoptera species group, 307
ectoparasites, Acari, 424
Podapolipidae, 424
ELF radio emission, pumping semiochemical, 491
wingbeat, 491
*Enchemicrum australe*, nesting behavior, 972
Oxybelinae, 972
endomitosis, *Exorista sorbillans*, 891
vitellogenesis, 891
Entomogenous nematodes, fall armyworm, 327
Noctuidae, 327
environmental variability, plant–insect interactions, 941
sex ratio, 941
*Eriosoma lanigerum*, temporal variation, 108
woolly apple aphid, 108
European corn borer, adult nutrition, 342
age-specific fecundity, 342
*Exorista sorbillans*, endomitosis, 891
vitellogenesis, 891
expert systems, *Bagous*, 1
DELTA, 1
fall armyworm, Entomogenous nematodes, 327
Noctuidae, 327
female genitalia, Homoptera, 516
morphology, 516
firefly, Lampyridae, 572
parasitism, 572
*Fittkauneuria*, mayflies, 263
new genus, 263
flight behavior, *Rhynchophorus cruentatus*, 641
seasonality, 641
flow pattern, mosquitoes, 482
suspension feeding, 482
foraging, *Theridion grallator*, 815
web, 815
formicidae, allometric growth, 337
*Myrmecia froggatti*, 337
functional response, host density, 849
parasitoid, 849
fused tarsi, German cockroach, 619
quantitative trait, 619
$G_6pdh$, Hexapoda, 723
phylogeny, 723
Galápagos, dispersal, 218, 576
islands, 218, 576

gall midge, biological control, 523
  citrus aphid, 523
genetic distance, *Chrysoperla*, 737
  Lacewings, 737
genetic sexing, *Ceratitis capitata*, 231
  males-only sterile releases, 231
genetic variation, *Leptinotarsa decemlineata*, 460, 634
  oviposition preference, 634
  potato acceptance, 460
geographic variation, *Heliothis virescens*, 856
  mtDNA, 856
German cockroach, fused tarsi, 619
  quantitative trait, 619
grasshoppers, development, 604
  hatch, 604
  internal transcribed spacer 1, 751
  *Melanoplus*, 751
*Gryllus bimaculatus*, behavior, 133
  vision, 133
habitat preference, Plecoptera, 321
  woody debris, 321
hatch, development, 604
  grasshoppers, 604
Hawaii, biogeography, 207
  cladistics, 207
*Heliothis virescens*, geographic variation, 856
  mtDNA, 856
Hemiptera, mating behavior, 962
  mating tactics, 962
Heteroptera, bamboo, 91
  China, 91
  Nepa, 755
  Nepidae, 755
heterozygosity, laboratory colonies, 157
  lethal genes, 157
Hexapoda, $G_6pdh$, 723
  phylogeny, 723
histochemistry, Malpighian tubules, 901
  *Pieris*, 901
Homoptera, female genitalia, 516
  morphology, 516
host density, functional response, 849
  parasitoid, 849
host exploitation, *Choristoneura fumiferana*, 546
  *Trichogramma minutum*, 546
host plants, cuticular lipids, 609
  whiteflies, 609
host suitability, parasitoids, 592
  polyphagous, 592
house cricket, carbohydrase, 886
  digestive enzyme, 886
identification, Africanized bees, 507
  colony defense, 507
image analysis, discriminant analysis, 412
  interactive key, 412
immunoassays, *Podisus maculiventris*, 214
  serology, 214
inheritance, larval body color, 454
  *Leptinotarsa decemlineata*, 454
insect
anatomy–morphology, molecular systematics, 147
  phylogeny, 147
insect–plant interactions, *Bemisia argentifolii*, 363
  mitochondrial DNA phylogeny, 795
  *Parabemisia myricae*, 363
  yucca moths, 795
interactive key, discriminant analysis, 412
  image analysis, 412
internal transcribed spacer 1, grasshoppers, 751
  *Melanoplus*, 751
islands, dispersal, 218, 576
  Galápagos, 218, 576
*Jadera haematoloma*, color polymorphism, 936
  soapberry bug, 936
Kenya, *Macrotermes*, 498
  systematics, 498
key, Nepidae, 27
  waterscorpion, 27
*Korscheltellus*, alternate year, 566
  periodical insect, 566
laboratory colonies, heterozygosity, 157
  lethal genes, 157
laboratory rearing, *Curicta scorpio*, 17
  nymphal descriptions, 17
Lacewings, *Chrysoperla*, 737
  genetic distance, 737
Lampyridae, firefly, 572
  parasitism, 572
larval body color, inheritance, 454
  *Leptinotarsa decemlineata*, 454
leafhoppers, *Polyamia*, 771
  revision, 771
*Leptinotarsa decemlineata*, genetic variation, 460, 634
  inheritance, 454
  larval body color, 454
  oviposition preference, 634
  potato acceptance, 460
*Leptothorax*, demography, 562
  survival, 562
lethal genes, heterozygosity, 157
  laboratory colonies, 157
linkage, *Bactrocera dorsalis*, 122
  mutants, 122
longevity, reproductive effort, 331
  *Wyeomyia smithii*, 331
*Macrotermes*, Kenya, 498
  systematics, 498
male harassment, mating behavior, 395
  sexual selection, 395
males-only sterile releases, *Ceratitis capitata*, 231
  genetic sexing, 231
Malpighian tubules, histochemistry, 901
  *Pieris*, 901
mass rearing, *Anagasta*

*Kuehniella*, 250
weight-fecundity relationship, 250
mating, *Ceratitis capitata*, 470
sterile insect release, 470
mating behavior, Hemiptera, 962
male harassment, 395
mating tactics, 962
oriental fruit fly, 375
pheromone, 375
sexual selection, 395
mating tactics, Hemiptera, 962
mating behavior, 962
*Matsucoccus josephi*, *Pinus*, 165
RAPD-PCR, 165
mayflies, *Fittkauneuria*, 263
new genus, 263
mealybugs, Coccoidea, 225
scale insects, 225
*Megachile*, body size, 922
quantitative genetics, 922
*Melaleuca quinquenervia*, classical biological control, 867
*Oxyops vitiosa*, 867
*Melanoplus*, grasshoppers, 751
internal transcribed spacer 1, 751
Mexico, *Dalbulus cimmyti*, 257
*Dalbulus ebberti*, 257
microsatellites, RAPD, 717
repetitive DNA, 717
migratory behavior, actograph, 823
*Spodoptera frugiperda*, 823
mitochondrial DNA, *Apis mellifera*, 842
phylogeny, 651
polymerase chain reaction, 651
population genetics, 842
mitochondrial DNA phylogeny, plant–insect interactions, 795
yucca moths, 795
molecular systematics, DNA sequence, 702
insect anatomy–morphology, 147
phylogeny, 147
sieving, 702
monoclonal antibodies, *Pectinophora gossypiella*, 85
predation, 85
morphology, female genitalia, 516
Homoptera, 516
morphometrics, developmental trajectories, 803
Naucoridae, 803
mosquitoes, flow pattern, 482
suspension feeding, 482
mouthparts, phytophagy, 448
Tephritidae, 448
mtDNA, geographic variation, 856
*Heliothis virescens*, 856
mutants, *Bactrocera dorsalis*, 122
linkage, 122
*Myrmecia froggatti*, allometric growth, 337
formicidae, 337
nannoptera species group, cactus-breeding species, 307
*Drosophila wassermani*, 307
*Nasutitermes*, cuticular hydrocarbons, 762
nest architecture, 762
natural history, distribution, 599
*Somatochlora hineana*, 599
Naucoridae, developmental trajectories, 803
morphometrics, 803
Nepa, Heteroptera, 755
Nepidae, 755
Nepidae, Heteroptera, 755
key, 27
Nepa, 755
waterscorpion, 27
nest architecture, cuticular hydrocarbons, 762
*Nasutitermes*, 762
nest usurpation, alternative reproductive tactics, 946
*Osmia*, 946
nesting behavior, *Enchemicrum australe*, 972
Oxybelinae, 972
new genus, *Fittkauneuria*, 263
mayflies, 263
New World amber, Platypodidae, 170
Scolytidae, 170
*Nicrophorus americanus*, population genetics, 928
RAPD-PCR, 928
Noctuidae, Entomogenous nematodes, 327
fall armyworm, 327
nonrandom movement, corn rootworm, 383
short-range flight orientation, 383
North America, *Sitona*, 277
systematics, 277
nymphal descriptions, *Curicta scorpio*, 17
laboratory rearing, 17
oogenesis, *Cacopsylla pyricola*, 241
dispersal, 241
oriental fruit fly, mating behavior, 375
pheromone, 375
*Osmia*, alternative reproductive tactics, 946
nest usurpation, 946
*Ostrinia nubilalis*, biological control, 440
pathogen–parasitoid interactions, 440
ovarian development, *Cacopsylla pyricola*, 583
sampling, 583
overwintering, color polymorphism, 355
seasonal development, 355
oviposition, aculeus, 104
aging, 350
cockroach, 436
pheromone suppression, 350
population density, 436
Tephritidae, 104
oviposition preference, genetic variation, 634
*Leptinotarsa decemlineata*, 634

Oxybelinae, *Enchemicrum australe*, 972
nesting behavior, 972
*Oxyops vitiosa*, classical biological control, 867
*Melaleuca quinquenervia*, 867
*Parabemisia myricae*, *Bemisia argentifolii*, 363
insect–plant interactions, 363
parasitism, firefly, 572
Lampyridae, 572
parasitoid, functional response, 849
host density, 849
host suitability, 592
polyphagous, 592
Patagonia, cladistics, 403
Rhytirrhinini, 403
pathogen–parasitoid interactions, biological control, 440
*Ostrinia nubilalis*, 440
*Pectinophora gossypiella*, monoclonal antibodies, 85
predation, 85
periodical insect, alternate year, 566
*Korscheltellus*, 566
pheromone, mating behavior, 375
oriental fruit fly, 375
pheromone suppression, aging, 350
oviposition, 350
Philippine Republic, Colpurini, 745
Coreidae, 745
*Phormia regina*, accessory glands, 97
sperm, 97
phylogeny, amber, 59
$G_4pdh$, 723
Hexapoda, 723
insect
anatomy–morphology, 147
mitochondrial DNA, 651
molecular systematics, 147
polymerase chain reaction, 651
Strepsiptera, 59
phytophagy, mouthparts, 448
Tephritidae, 448
*Pieris*, histochemistry, 901
Malpighian tubules, 901
*Pinus*, *Matsucoccus josephi*, 165
RAPD-PCR, 165
plant lice, behavioral evolution, 311
*Rhopalosiphum*, 311
plant–insect interactions, *Bemisia argentifolii*, 363
environmental variability, 941
mitochondrial DNA phylogeny, 795
*Parabemisia myricae*, 363
sex ratio, 941
yucca moths, 795
*Plathypena scabra*, *Pseudoplusia includens*, 954
*Spodoptera frugiperda*, 954
Platypodidae, New World amber, 170
Scolytidae, 170
Plecoptera, habitat preference, 321
woody debris, 321
Podapolipidae, Acari, 424
ectoparasites, 424
*Podisus maculiventris*, immunoassays, 214
serology, 214
*Polyamia*, leafhoppers, 771
revision, 771
polymerase chain reaction, mitochondrial DNA, 651
phylogeny, 651
polyphagous, host suitability, 592
parasitoids, 592
population analysis, *Callidiellum rufipenne*, 836
*Cryptomeria japonica*, 836
population density, cockroach, 436
oviposition, 436
population dynamics, *Bactrocera latifrons*, 71
population ecology, 71
population ecology, *Bactrocera latifrons*, 71
population dynamics, 71
population genetics, *Apis mellifera*, 842
*C. macellaria*, 626
*Cochliomyia hominivorax*, 626
mitochondrial DNA, 842
*Nicrophorus americanus*, 928
RAPD-PCR, 928
potato acceptance, genetic variation, 460
*Leptinotarsa decemlineata*, 460
predation, monoclonal antibodies, 85
*Pectinophora gossypiella*, 85
*Pseudoplusia includens*, *Plathypena scabra*, 954
*Spodoptera frugiperda*, 954
pumping semiochemical, ELF radio emission, 491
wingbeat, 491
quantitative genetics, body size, 922
*Megachile*, 922
quantitative trait, fused tarsi, 619
German cockroach, 619
RAPD, microsatellites, 717
repetitive DNA, 717
RAPD-PCR, *Matsucoccus josephi*, 165
*Nicrophorus americanus*, 928
*Pinus*, 165
population genetics, 928
repetitive DNA, microsatellites, 717
RAPD, 717
reproduction, bruchid, 532
diapause, 532
reproductive effort, longevity, 331
*Wyeomyia smithii*, 331
revision, leafhoppers, 771
*Polyamia*, 771
*Rhopalosiphum*, behavioral evolution, 311
plant lice, 311
*Rhynchophorus cruentatus*, flight behavior, 641
seasonality, 641

Rhytirrhinini, cladistics, 403
Patagonia, 403
sampling, *Cacopsylla pyricola*, 583
ovarian development, 583
scale insects, Coccoidea, 225
mealybugs, 225
Scolytidae, New World amber, 170
Platypodidae, 170
seasonal development, color polymorphism, 355
overwintering, 355
seasonality, flight behavior, 641
*Rhynchophorus cruentatus*, 641
serology, immunoassays, 214
*Podisus maculiventris*, 214
sex ratio, environmental variability, 941
plant–insect interactions, 941
sexual selection, male harassment, 395
mating behavior, 395
short-range flight orientation, corn rootworm, 383
nonrandom movement, 383
sibling species, *A. fluviatilis*, 116
cytotaxonomy, 116
sieving, DNA sequence, 702
molecular systematics, 702
*Sitona*, North America, 277
systematics, 277
*Smicronyx* spp., biological control, 831
sunflowers, 831
soapberry bug, color polymorphism, 936
*Jadera haematoloma*, 936
*Somatochlora hineana*, distribution, 599
natural history, 599
sperm, accessory glands, 97
*Phormia regina*, 97
*Spodoptera frugiperda*, actograph, 823
migratory behavior, 823
*Plathypena scabra*, 954
*Pseudoplusia includens*, 954
sterile insect release, *Ceratitis capitata*, 470
mating, 470
Strepsiptera, amber, 59
phylogeny, 59
stylet penetration, aphid damage, 908
biotype, 908
sunflowers, biological control, 831
*Smicronyx* spp., 831
survival, demography, 562
*Leptothorax*, 562
suspension feeding, flow pattern, 482
mosquitoes, 482
systematics, *Calomacraspis*, 43
Kenya, 498
*Macrotermes*, 498
North America, 277
*Sitona*, 277
taxonomy, 43
taxonomy, *Calomacraspis*, 43
Campodeidae, 270
Diplura, 270
systematics, 43
temporal variation, *Eriosoma lanigerum*, 108
woolly apple aphid, 108
Tenebrionidae, calcium, 918
cuticle, 918
Tephritidae, aculeus, 104
mouthparts, 448
oviposition, 104
phytophagy, 448
*Theridion grallator*, foraging, 815
web, 815
tissue culture, *Aphis illinoisensis*, 879
virus transmission, 879
*Trichogramma minutum*, *Choristoneura fumiferana*, 546
host exploitation, 546
Vespidae, baldfaced hornet, 554
*Dolichovespula maculata*, 554
virus transmission, *Aphis illinoisensis*, 879
tissue culture, 879
vision, behavior, 133
*Gryllus bimaculatus*, 133
vitellogenesis, endomitosis, 891
*Exorista sorbillans*, 891
waterscorpion, key, 27
Nepidae, 27
web, foraging, 815
*Theridion grallator*, 815
weight-fecundity relationship, *Anagasta Kuehniella*, 250
mass rearing, 250
whitefly, *Bemisia argentifolii*, 195
*Bemisia tabaci*, 195
cuticular lipids, 609
host plants, 609
wingbeat, ELF radio emission, 491
pumping semiochemical, 491
woody debris, habitat preference, 321
Plecoptera, 321
woolly apple aphid, *Eriosoma lanigerum*, 108
temporal variation, 108
*Wyeomyia smithii*, longevity, 331
reproductive effort, 331
*Xanthopimpla stemmator*, developmental rates, 874
*Diatraea saccharalis*, 874
yucca moths, mitochondrial DNA phylogeny, 795
plant–insect interactions, 795